

# DEEP LEARNING: PREVIOUS AND PRESENT APPLICATIONS

**Ramiro VARGAS**

Universidad Tecnica De Cotopaxi / ECUADOR

[ramiro.vargas@utc.edu.ec](mailto:ramiro.vargas@utc.edu.ec)

**Lourdes RUÍZ**

Obuda University / HUNGARY, [lourdes.ruiz@bgk.uni-obuda.hu](mailto:lourdes.ruiz@bgk.uni-obuda.hu)

## **ABSTRACT**

*Deep learning is an emerging area of machine learning (ML). It comprises multiple hidden layers of artificial neural networks. The deep learning methodology applies nonlinear transformations and model abstractions of high level in large databases. The recent advancements in deep learning architectures within numerous fields have already provided significant contributions in artificial intelligence. The following review chronologically presents how and in what major applications deep learning algorithms have been utilized. Furthermore, the superior and beneficial of the deep learning methodology and its hierarchy in layers and nonlinear operations are presented and compared with the more conventional algorithms in the common applications. All in all, the purpose of this review is to give a general concept of deep learning and how its advantages have improved during the last years.*


**Keywords.** *Deep learning; machine learning; nonlinear processing; hierarchy of layers.*



## 1. INTRODUCTION

Artificial intelligence (AI) as an intelligence exhibited by machines has been an effective approach to human learning and reasoning. In 1950, “The Turing Test” was proposed as a satisfactory explanation of how a computer could perform a human cognitive reasoning (Moor, 2003). As a research field, AI is divided in more specific research subfields. For example: Natural Language Processing (NLP) can enhance the writing experience in various applications. The most classic subdivision within NLP is machine translation, which is understood as the translation between languages. Machine translation algorithms have resulted in various applications that consider grammar structure as well as spelling mistakes. Moreover, a set of words and vocabulary related to the main topic is automatically used as the main source when the computer is suggesting changes to writer or editor (Goel, 2017). Figure 1 shows in detail how AI covers seven subfields of computer sciences.

**Figure 1.** Research in artificial intelligence (AI)



(Adeli, 2003)

Recently, machine learning and data mining have become the center of attention and the most popular topics among research community. These combined fields of study analyze multiple possibilities of characterization of databases (Kim & Oh, 2017). Through the years, databases have been collected with statistical purposes. Statistical curves can describe past, and present in order to predict future behaviors. Nevertheless, during the last decades only classic techniques and algorithms have been used to process this data, whereas an optimization of those algorithms could lead on an effective self-learning (Safdar, et al., 2017). A better decision making can be implemented based on existing values, multiple criteria and statistics advanced methods. Thus, one of the most important application of this optimization is medicine, where symptoms, causes and medical solutions generate big databases that can be used to predict better treatments (Lavrač, 1999).



Since ML covers a wide range of research, many approaches have been established. Clustering, Bayesian Network, Deep Learning and Decision Tree Learning are only part of the approaches. The following review mainly focuses on deep learning, its basic concepts, past and nowadays applications in different fields. Additionally, it presents several figures portraying the rapid development of deep learning research through publications over the recent years in scientific databases.

## **2. BACKGROUND**

The Deep Learning (DL) concept appeared for the first time in 2006 as a new field of research within machine learning. It was first known as hierarchical learning at the beginning (Bengio, 2009), and it usually involved many research fields related to pattern recognition. Deep learning mainly considers two key factors: nonlinear processing in multiple layers or stages and supervised or unsupervised learning (Deng & Yu, 2014). Nonlinear processing in multiple layers refers to an algorithm where the current layer takes the output of the previous layer as an input. Hierarchy is established among layers to organize the importance of the data to be considered as useful or not. On the other hand, supervised and unsupervised learning is related with the class target label, its availability means a supervised system, whereas its absence means an unsupervised system.

## **3. APPLICATIONS**

Deep learning implies an abstract layer analysis and hierarchical methods. However, it can be utilized in numerous real life applications. As an example, within digital image processing; grayscale image coloring from a picture used to be done manually by users who had to choose each color based on their own judgment. Applying a deep learning algorithm, coloring can be performed automatically by a computer (Larsson, et al., 2016). Similarly, sound can be added into a mute drumming video by using Recurrent Neural Networks (RNN) as part of the deep learning methods (Owens, et al., 2016).

Deep learning can be understood as a method to improve results and optimize processing times in several computing processes. In the field of natural language processing, deep learning methods have been applied for image caption generation (Venugopalan, et al., 2015), and handwriting generation (Graves, 2013). The following applications are categorized in pure digital image processing, medicine and biometrics.

### **3.1.1. Image Processing**

Before deep learning officially appeared as a new research approach, some applications had been carried out within the concept of pattern recognition through layer processing. In 2003, an interesting example was developed by applying particle filtering and Bayesian – belief propagation. The main concept of this application proposes that a human can recognize the face of a person by watching only a half – cropped face picture (Lee & David, 2003), therefore a computer could be able to reconstruct the image of a face from a cropped one.

Later in 2006, greed algorithm and hierarchy were combined into an application capable to process handwritten digits (Hinton, et al., 2006). Recent researches have applied deep learning as the main tool for digital image processing. For instance, applying a Convolutional Neural Networks (CNN) for Iris Recognition can be more effective than using conventional iris sensors. CNN effectiveness can reach up to 99.35 % of accuracy (Marra, et al., 2017). Mobile location recognition nowadays allows the user to know a determined



address based on a picture. A Supervised Semantics – Preserving Deep Hashing (SSPDH) algorithm has proved a considerable improvement in comparison with Visual Hash Bit (VHB) and Space – Saliency Fingerprint Selection (SSFS). The accuracy of SSPDH is even 70% more efficient (Liu, et al., 2017).

Google Inc. uses deep learning across their variety of products. Google street view uses CNN to recognize text in different colors, sizes and font types in street view images. Moreover, Google earth roof images and local weather patterns are analyzed to predict if a rooftop has solar energy potential, the quantity and the feasibility of installing solar panels (Google, 2017). Additionally, CNN regression is applied for 3D face reconstruction using one single 2D facial image; it works with different poses and expressions (Jackson, et al., 2017). Furthermore, cosmetic companies such as Olay Skin developed an artificial neural network web-based application. In this application, users upload selfies without makeup. The program estimates their skin age and suggest personalized skin products (P&G, 2017).

Finally, another remarkable application in digital image processing, using deep learning method, is facial recognition. Google, Facebook and Microsoft have unique deep learning face recognition models (Hisham & Harin, 11). Lately, identification based on a facial picture has changed to an automatic recognition by establishing age and gender as initial parameters. Sighthound Inc. for instance tested a deep convolutional neural network algorithm capable to recognize not only age and gender, but even emotions (Dehghan, et al., 2017). Furthermore, a robust system was developed to accurately determine the age and gender of a person from a single image by the application of a deep multi-task learning architecture (Xing, 2017).

### 3.1.2. **Medicine**

Deep learning methods have been tested for clinical applications. For instance, a comparison between shallow learning and deep learning in neural networks led to a better performance on disease prediction. An image taken from a Magnetic Resonance Imaging (MRI) from a human brain was processed in order to predict Alzheimer disease (Lee, et al., 2017). Although the early success of this procedure, some issues should be considered for future applications. Training and dependency on high quality are some of the limitations. Volume, quality and complexity of data are challenging aspects, however the integration of heterogeneous data types is a potential aspect of deep learning architecture (Miotto, et al., 2017).

Optical Coherence Tomography (OCT) is an example where deep learning is showing valuable results. Conventionally, images are treated by a manual development of convolutional matrices (Lee, et al., 2017). Unfortunately, the lack of training sets, limits the deep learning method. Nevertheless within a few years, the introduction of better training sets will effectively predict retinal pathologies and decrease OCT technology costs. In addition, CNN is applied on retinal images to identify diabetic retinopathy; this method performs better than the median of eight U.S. board certified ophthalmologists (Gulshan, et al., 2016).

Neural network models are used for drug research by predicting molecular properties such as toxicity or ability to bind. It also can be used for simulating biological or chemical processes of different molecules without the necessity of using expensive software simulators and it is 30,000 times faster (Gilmer, et al., 2017).



### 3.1.3. Biometrics

In 2009, an automatic speech recognition application was carried out to decrease the Phone Error Rate (PER) by using two different architectures of deep belief networks (Mohamed, et al., 2009). In 2012, CNN method was applied within the framework of a Hybrid Neural Network - Hidden Markov Model (NN – HMM). As a result, a PER of 20.07 % was achieved. The PER obtained is better in comparison with a 3 – layer neural network baseline method previously applied (Abdel-Hamid, et al., 2012). Smartphones and their camera resolution have been tested on iris recognition. Using mobile phones developed by different companies the iris recognition accuracy can reach up to 87% of effectiveness (Raja, et al., 2015).

In terms of security, especially access control; deep learning is used in conjunction with biometric characteristics. DL was employed to speed up the developing and optimization of FaceSentinel face recognition devices. According to this manufacturer, their devices could expand their identification process from one-to-one to one-to-many in nine months. This engine advancement could have taken 10 man years without DL introduction. It accelerated the production and launch of the equipment. These devices are used in Heathrow airport in London and have the potential to be used for time and attendance and in the banking sector (Bannister, 23).

## 4. OVERVIEW

Table 1 summarizes several applications carried out throughout previous years regarding deep learning. Mostly, speech recognition and image processing are mentioned. This review only considers a few from the large list of applications.

**Table 1.** Applications of Deep Learning, 2003- 2017.

Author	Application	Method/algorithm	Year
Tai Sing Lee, David Mumford	Hierarchical Bayesian inference in the visual cortex	Particle filtering and Bayesian - belief propagation	2003
Hinton, Geoffrey E., Simon Osindero, Yee-WhyeTeh.	Digit Classification	Complementary Priors on Belief networks	2006
Mohamed, Abdel-rahman, George Dahl, Geoffrey Hinton	Deep Belief Networks for phone recognition	Back propagation and associative memory architecture	2009
Abdel-Hamid Ossama, Mohamed Abdel-rahman, Jiang Hui, Penn Gerald	Multi-speaker speech recognition	Local filtering and max-pooling infrequency domain	2012
Kiran B. Raja, R. Raghavendra, Vinay Krishna Vemuri, Christoph Busch	Iris Recognition by using smartphones' cameras	Deep sparse filtering	2015
Francesco Marra, Giovanni Poggi, Carlo Sansone, Luisa Verdoliva	Iris sensor model identification	Convolutional neural networks	2017



### 5. PUBLICATION ANALYSIS PER YEAR

Figure 2 details the number of deep learning publications from ScienceDirect database per year from 2006 till June 2017. Clearly, there is a progressive increment of publications that could describe an exponential growth.

**Figure 2.** Publications per year in Deep Learning by Science Direct.




Figure 3 presents the total number of Springer’s deep learning publications per year from Jan 2006 till Jun 2017. In 2016, there is a sudden increment of publications, reaching up to 706 publications, which proves that deep learning is truly a contemporaneous area of interest for researchers.

**Figure 3.** Publications per year in Deep Learning by Springer.







Figure 4 shows the IEEE Digital Library’s number of conference publications and journals & magazines from Jan 2006 till the Jun 2017. It is noticeable that since 2015 the number of publications has dramatically increased. The difference between 2016 and 2015 is even more than 200% of increment.

**Figure 4.** Publications per year in Deep Learning by IEEE.



## 6. CONCLUSIONS

Deep learning is indeed a fast growing application of machine learning. The numerous applications described above prove its rapid development in just few years. The usage of these algorithms in different fields shows its versatility. The publication analysis performed in this study clearly demonstrates the relevance of this technology and illustrates the growth of deep learning and the tendency regarding future research in this field.

Additionally, it is important to note that hierarchy of layers and the supervision in learning are key factors to develop a successful application regarding deep learning. Hierarchy is essential for appropriate data classification, whereas supervision considers the importance of the database itself to be part of the process. The main value of deep learning relies on the optimization of existing applications in machine learning, due to its innovativeness on hierarchical layer processing. Deep learning can deliver effective results on digital image processing and speech recognition. The reduction on error percentage (10 to 20 %) clearly corroborates the improvement compared with existing and tested methods.

As for future applications and research, it is essential to take into account that deep learning needs large datasets and computational power. Big enterprises such as Google or pharmaceutical companies offer computational capabilities to startups. These opportunities and the possibility of reusing deep learning models with different data sets will help solving multiple scientific problems and take advantage of the research already done.

Deep learning can result into a useful security tool due to the facial recognition and speech recognition combined. Besides this, digital image processing is a research field that can be applied in multiple areas. For this reason and having proved a true optimization, deep learning is a contemporary and exciting subject of advancement in artificial intelligence.



## REFERENCES

- Abdel-Hamid, O., Mohamed, A.-r., Jiang, H. & Penn, G., 2012. Applying convolutional neural networks concepts to hybrid NN-HMM model for speech recognition. *Acoustics, Speech and Signal Processing (ICASSP)*, pp. 4277-4280.
- Adeli, H., 2003. *Expert systems in construction and structural engineering*. s.l.:CRC Press.
- Bannister, A., 23. *Biometrics and AI: how FaceSentinel evolves 13 times faster thanks to deep learning*. [Online]  
Available at: <https://www.ifsecglobal.com/biometrics-ai-facesentinel-deep-learning/>  
[Accessed 2017 July 22].
- Bengio, Y., 2009. Learning deep architectures for AI.. *Foundations and trends® in Machine Learning*, 2(1), pp. 1-127.
- Dehghan, A., Ortiz, E. G., Shu, G. & Masood, S. Z., 2017. DAGER: Deep Age, Gender and Emotion Recognition Using Convolutional Neural Network. *arXiv preprint arXiv:1702.04280*.
- Deng, L. & Yu, D., 2014. Deep learning: methods and applications. *Foundations and Trends® in Signal Processing*, 7(3-4), pp. 197-387.
- Gilmer, J. y otros, 2017. Neural Message Passing for Quantum Chemistry. *arXiv*, 4 April.
- Goel, B., 2017. Developments in The Field of Natural Language Processing. *International Journal of Advanced Research in Computer Science*, 8(3).
- Google , 2017. *Google Project Sunroof*. [En línea]  
Available at: <https://www.google.com/get/sunroof#p=0>  
[Último acceso: 2 October 2017].
- Graves, A., 2013. Generating sequences with recurrent neural networks. *arXiv preprint arXiv:1308.0850*.
- Gulshan, V., Peng, L. & Coram, M., 2016. Development and Validation of a Deep Learning Algorithm for Detection of Diabetic Retinopathy in Retinal Fundus Photographs. *The Journal of The American Medical Association*, pp. 2402-2410.
- Hinton, G. E., Simon, O. & Yee-Whye, T., 2006. A fast learning algorithm for deep belief nets. *Neural computation*, 18(7), pp. 1527-1554.
- Hisham, A.-A. & Harin, S., 11. *Deep Learning – the new kid in Artificial Intelligence*. [Online]  
Available at: <http://www.biometricsinstitute.org/news.php/220/deep-learning-the-new-kid-in-artificial-intelligence>.  
[Accessed 2017 June 20].
- Jackson, A. S., Bulat, A., Vasileios, A. & Tzimiropoulos, G., 2017. Large Pose 3D Face Reconstruction from a Single Image via Direct Volumetric CNN Regression. *Arxiv*, 8 September.
- Kim, I. W. & Oh, J. M., 2017. Deep learning: from chemoinformatics to precision medicine.. *Journal of Pharmaceutical Investigation*, pp. 1-7.





- Larsson, G., Maire, M. & Shakhnarovich, G., 2016. Learning representations for automatic colorization. *European Conference on Computer Vision*, pp. 577-593.
- Lavrač, N., 1999. Selected techniques for data mining in medicine.. *Artificial intelligence in medicine*, 16(1), pp. 3-23.
- Lee, C. S., Baughman, D. M. & Lee, A. Y., 2017. Deep Learning Is Effective for Classifying Normal versus Age-Related Macular Degeneration Optical Coherence Tomography Images. *Ophthalmology Retina*.
- Lee, J.-G. et al., 2017. Deep Learning in Medical Imaging: General Overview. *Korean Journal of Radiology*, 18(4), pp. 570-584.
- Lee, T. S. & David, M., 2003. Hierarchical Bayesian inference in the visual cortex. *JOSA A*, 20(7), pp. 1434-1448.
- Liu, W. et al., 2017. Deep learning hashing for mobile visual search. *EURASIP Journal on Image and Video Processing*, 2017(1), p. 17.
- Marra, F., Poggi, G., Sansone, C. & Verdoliva, L., 2017. A Deep Learning Approach for Iris Sensor Model Identification. *Pattern Recognition Letters*.
- Miotto, R. et al., 2017. Deep learning for healthcare: review, opportunities and challenges. *Briefings in Bioinformatics*.
- Mohamed, A.-r., George, D. & Geoffrey, H., 2009. Deep belief networks for phone recognition. *Nips workshop on deep learning for speech recognition and related applications*, 1(9).
- Moor, J., 2003. *The Turing test: the elusive standard of artificial intelligence*. s.l.:Springer Science & Business Media.
- Owens, A. et al., 2016. Visually indicated sounds. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 2405-2413.
- P&G, 2017. Skin care gets smart with AI. *New Scientist*, May.
- Raja, K. B., Raghavendra, R., Vemuri, V. K. & Busch, C., 2015. Smartphone based visible iris recognition using deep sparse filtering. *Pattern Recognition Letters*, Volumen 57, pp. 33-42.
- Safdar, S., Zafar, S., Zafar, N. & Khan, N. F., 2017. Machine learning based decision support systems (DSS) for heart disease diagnosis: a review. *Artificial Intelligence Review*, pp. 1-17.
- Venugopalan, S. et al., 2015. Sequence to sequence-video to text. *Proceedings of the IEEE International Conference on Computer Vision*, pp. 4534-4542.
- Xing, J. a. L. K. a. H. W. a. Y. C. a. L. H., 2017. Diagnosing deep learning models for high accuracy age estimation from a single image. *Pattern Recognition*.



JOURNAL OF AWARENESS